## PRINTER RUSH

(PTO ASSISTANCE)

Application :	09/551701	Examiner :	_B	GAU:	3728	
From:	RTS/O	Location:	IDC FMF FDC	Date:	8/3/08	
	2	Tracking #:		Week Date:		
	DOC CODE	DOC DATE	MISCELL	ANEOUS		
[	1449 IDS		Continuing  Foreign Price			
[	☐ CLM ☐ IIFW		Document I	Legibility		
	SRFW		Other Ar-	fi fact		
	∭DRW □OATH		[0/3]	00	1	
]	☐ 312 ☐ SPEC					
			M. M. Co	1.0		
[RUSH] MESS	AGE: 44  2 identi	tal Sets O	Haltepuson	laungs.	Please	
Carpet	applicant	/ gHomey	b se quest	additia	ral Sels	
in order that 3 sets of identical drawings will be						
ensure creation of artifact forcher Thank Yas (A)						
[XRUSH] RESPONSE: AFTER ORDERING AND REVIEWING THE ORIGINAL DRAWINGS. THEY APPEAR TO BE HAND DRAWING AND HAVE NO PHOTO'S.						
ALL THOUGH THE DRAWING HAVE BEEN OBJECTED TO AND A DRAWING OBJECTION HAS BEEN MAILED						
(SEE ATTACHMENT) . INITIALS: JUC						

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH. **REV 10/04** 



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMES APPLICANT

ATTORNEY DOCKET NUMBER

55019 USA 1A

09/551706

04/18/2000

**UBEL, F. ANDREW** 

Examiner

**BUI, LUAN** 

Attention: Stephen W Bauer Esq Office of Intellectual Property Counsel **3M Innovative Properties Company** P O Box 33427 St Paul MN 55133-3427

Art Unit

Paper Number

3728

Date Mailed:8/29/2005

## **Notice Regarding Drawings**

Corrected drawings for the above-identified application, received in the USPTO on 4-18-05 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

**RETURN CORRECTED DRAWINGS TO:** 

**Commissioner for Patents** 

P.O. Box 1450

Alexandria, Virginia 22313-1450

Joshua D. Chase

Office of Patent Publication,

**Publishing Division** 

703-305-0333 ext-138

## NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

categories of drawings: Black ink or Color (3 sets required).  Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  Else of PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 172x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s)  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  English (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  English (R)  Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  COMMENTS:	Color (3 sets required).  Color drawings are not acceptable until petition is granted. Fig(s)	Words do not appear on a horizontal, left-to-right
color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f) full-tone set is required. Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 1.1 STAP OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Lines, numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) S. Margins not acceptable. Fig(s) Fig(s) S. Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: Top 2.5 cm Lef	Color drawings are not acceptable until petition is granted. Fig(s)	for the contract of the contra
granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3.7 YEP OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  2.10 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, 37 CFR 1.84(p) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  2.1 NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Poor (The Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Aragins not acceptable. Fig(s) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Scale not large enough to show mechanism without crowding when drawing is zet to vothirds in reproduction. Fig(s) Solid black shading not permitted. Fig(s) Numbers	granted. Fig(s)	tashion when page is either upright or turned so
Pencil and non black ink not permitted. Fig(s)  2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  Lead lines missing. Fig(s)  13. LEAD LINES. 37 CFR 1.84(p) Lead lines missing. Fig(s)  14. NUMBERING OF VIEWS. 37 CFR 1.84(p) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2) Fig(s)  13. LEAD LINES. 37 CFR 1.84(p) Scale not large enough to woth the dispensable margins: and reference characters		that the top becomes the right side, except for
2. PHOTOGRAPHS. 37 CFR 1.84(b)  One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  Margins not acceptable. Fig(s) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1.A, Fig 1 B and Fig. 1.C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  11. SHADING. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  12. NUMBERS, LETTERS, 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not pla	Pencil and non black ink not permitted Fig(s)	graphs. Fig(s)
one (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Ergins not acceptable. Fig(s) Fig(s) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exception to correspond to drawing changes, e.g., if Fig. 1. Fig.		9. SCALE. 37 CFR 1.84(k)
without crowding when drawing is reduced in size to two-thirds in reproduction.  Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) SmARGINS. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Erglish (B) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional segmation should be noted with Arabic or Roman numbers. Fig(s)	<b>2. PHOTOGRAPHS.</b> 37 CFR 1.84(b)	
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., ifFig. 1 is changed to Fig. 1A, Fig 1B and Fig. IC, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exception and propropriate. Fig(s) Solid black surface shading is not permitted exception of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)	One (1) full-tone set is required. Fig(s)	without crowding when drawing is reduced in
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sleet(s) A SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)	Photographs may not be mounted. 37 CFR 1.84(e)	
37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) 1. SEAD LINES, 70 CFR 1.84(p) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, & REFRENCE LATTERS. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black sareas pale. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFRENCE CHARACTER OF LINES, vuriable, and back (poor line quality). Fig(s)  12. NUMBERS, LETTERS, & REFRENCE CHARACTER OF LINES, vuriable and well defined, clean, durable, and back (poor line quality). Fig(s)  12. NUMBERS, LETTERS, & REFRENCE CHARACTER OF LINES, vuriable, and back (poor line quality). Fig(s)  13. SHADING. 37 CFR 1.84(m) Solid black sareas pale. Fig(s)  Numbers and reference characters not premitted in the same direction as the view. 37 CFR 1.84(p)  Numbers and reference characters not premitted in the same direction as the view. 37 CFR 1.84(p)  Numbers and reference characters not premitted in the same direction as the view. 37 CFR 1.84(p)  Numbers, Letters on uniform verific	Photographs must meet paper size requirements of	•
Poor quality (half-tone). Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., ifFig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Solid black vascapale. Fig(s) LETTERS, 37 CFR 1.84(h) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, 8 REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) In View of the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Solid black sread pale. Fig(s) In VIMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(p)(2) Fig(s) Sheets not numbered consecutively, and in Arabic numbers beg	37 CFR 1.84(f). Fig(s)	
3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MINDER: Specification flow of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MINDER: Specification flow of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MINDER: Specification in an acceptable size. Fig(s)  Solid black shading not permitted. Fig(s)  Numbers and reference characters not priented in the same direction as the view. 37 CFR 1.84(p)  Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)  Lead lines numbers & letters and uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s)  12. NUMBERING. 37 CFR 1.84(p)  Sheets not numbered consecutively, and in Arabic numbers beginning w	Poor quality (half-tone). Fig(s)	
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Paper not flex (defined, clean, durable, and black (poor line quality). Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  Legible. Fig(s)  Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  Lead lines missing. Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  Solid black areas pale. Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  Solid black straces pale. Fig(s)  Solid black straces, are fig(s)  Solid black areas pal		
Fig(s)  Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted.  Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or  21.6 cm by 29.7 cm (BIN size A4) or  21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Proportion of the Drawings of the	Paper not flexible, strong, white, and durable.	
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  Top (T)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black areas pale. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. In July 1 in July 2 legible. Fig(s)  Figure legends are poor. Fig(s)  Fig(s)  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
Solid black shading not permitted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or  21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  7 top (T)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black shading not permitted. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE  CHARACTERS. 37 CFR 1.84(p)  Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  13. LEAD LINES. 37 CFR 1.84(p)(2)  Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(q)  Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numbers beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black strace shading is not permitted exception of the properties of t	Erasures, alterations, overwritings, interlineations,	
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  Drawings sheets not an acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p)  Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  I at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  I at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q)	folds, copy machine marks not accepted.	Solid black areas pale. Fig(s)
sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) 1.5 C. 7.9 1.5  Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)		Solid black shading not permitted. Fig(s)
21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s)Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cmMargins not acceptable. Fig(s)Top (T)Left (L)Right (R)Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changedViews not labeled separately or properly. Fig(s)Sectional designation should be noted with Arabic or Roman numbers. Fig(s)Sectional designation should be noted with Arabic or Roman numbers. Fig(s)Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable	
21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Legible. Fig(s) Figure legends are poor. Fig(s) L-2O Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  Drawings sheets not an acceptable size. Fig(s)  S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B) 6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exceywhen used to represent the color black as well as color contrast. Fig(s)		
Sheet(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm		
the same direction as the view. 37 CFR 1.84(p)(  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s) 1, 5 c, 7, 9 is  Top (T) Left (L)  Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception when used to represent the color black as well as color contrast. Fig(s)		
Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception of the color black as well as color contrast. Fig(s)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  1.		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T)  Left (L)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception of the color black as well as color contrast. Fig(s)		the same direction as the view. 37 CFR 1.84(p)(1
Margins not acceptable. Fig(s) 1,5 2,7 4,15  Top (T) Left (L)  Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted exception when used to represent the color black as well as color contrast. Fig(s)		
Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.	· · · · · · ·	
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.		
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Fig(s)  Sectional designation should be noted with  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
		• • • • • • • • • • • • • • • • • • • •
Fig(s)		
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Bull to the properties of	7 SECTIONAL VIEWS 27 CED 1 94/h)(2)	Views not numbered consequitively, and in Archic
Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	* * * *	numerals heginning with number 1 Fig(s)
Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
Fig(s)  Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)	Arabic or Roman numbers. Fig(s)	
Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s)		
when used to represent the color black as well as color contrast. Fig(s)	•	
color contrast. Fig(s)		
·	OMMENTS:	
"		
		•